

Image Firms Media 32" Digital Sign -in -one- Box TM

Image Firms Media 32" Digital Sign-in-one-Box TM is a full turnkey digital signage solution that meets all of your advertisers, retail stores and corporate offices demands. Controlled secure web based Media cast. Image Firms Media 32" is designed to install easily and play the content within seconds.

No IT technician and no network infrastructure required. Just **plug the power and play** instantly with digital promotions over the wireless network connection.



Easy to install, Easy to connect, Easy to update, Easy to play content - Just Add Power

Digital-Sign-In-One-Box TM

Image Firms Media Digital-Sign-In-One-Box is quick to install and an easy to manage product.

Digital-Sign-In-One-Box is the best advertising solution for those that are involved with networking, hospitality, education and financial networks. Create your own contents and play them instantly using wireless network technology with the Image Firms Media company product.

1. **Image Firms Media** Using a secure web based system, easily load your content and scheduled promotions.
2. **Image Firms Media** Digital-Sign-In-One-BoxTM automatically loads the content and starts to play your Promotions.

Image Firms Media Broadcast Specifications

- Secure manageable web-based system
- Create your content easily to be loaded as scheduled and includes a play list
- Monitoring alert with each device
- Clients billing log report provided
- Control the scheduling of your contents and promotions
- Players always download new contents and then play them.

System Specifications:

LCD Specification: 32"

Display Area:	697.68MM X392.MM
Pixel Pitch :	0.51075MM X0.51075MM
Contrast Ratio:	800:1
Display Color:	16.7M (8bits/color)
Brightness:	500
View Angle:	-85~85;

General Description:

Storage Media:	20 GB Optional with bigger capacity
Content Update	Networking (by Ethernet/WLAN)
VESA Mount	YES

Content:

Video Format Support:	MPEG1, MPEG2, MPEG4
Graphic format Support:	JPEG, BMP
Text banner:	Variable scrolling speed support

Networking:

Audio Output:	2 X 2W speakers
Network connection	
Ethernet LAN:	1 X RJ 45-10/100Mbps

Environment Considerations:

Operating Temperature:	0 to 50 C
------------------------	-----------

Humidity: 5-85% @ 50C

Power Specification:

* Power Adapter: 24 V DC in

* Power Consumption : Approx 220W

* Power Source: AC100~240V

Optional Available:

- RS232
- WLAN
- GSM